

**From:** [Wainberg, Daniel](#)  
**To:** [Rodriguez, Sebastian](#)  
**Subject:** RE: EPA/Cummings Conference Call Follow-up 9/23/19  
**Date:** Monday, September 23, 2019 5:31:56 PM

---

Thanks for cc-ing me on this. Let's catch up for a couple minutes on it.

Dan Wainberg

RCRA Corrective Action Section

EPA - New England

Office: 617.918.1283

Mobile: 617.413.4622

Fax: 617.918.0283

[Wainberg.Daniel@epa.gov](mailto:Wainberg.Daniel@epa.gov)

---

**From:** Rodriguez, Sebastian <rodriguez.sebastian@epa.gov>

**Sent:** Monday, September 23, 2019 4:25 PM

**To:** bhoskins@fslassociates.com; Craig Ziady <craig@cummings.com>

**Cc:** Zucker, Audrey <Zucker.Audrey@epa.gov>; Wainberg, Daniel <Wainberg.Daniel@epa.gov>

**Subject:** EPA/Cummings Conference Call Follow-up 9/23/19

Hello Bruce and Craig,

Thank you for taking the time to speak with EPA this afternoon. As promised, I am sending this email as a follow up to our discussion regarding the Migration of Contaminated Groundwater Environmental Indicator (EI) determination. EPA has captured the following feedback on the EI document:

- a. Please include a clarification in the *"Rationale and Reference"* portion of question 2 clarifying that wells FSL-2 and FSL-3 could not be sampled during **all** 4 recent sampling events as they ran dry during purging.
- b. In the body of the *"Rationale and Reference"* sections on page 4 and 5, it is mentioned that well FSL-6 is located downgradient of FSL-7, and that *"contaminated groundwater is not expected to discharge into surface water bodies"*. Given that there **is** some potential for the discharge of contaminated groundwater into surface water bodies, EPA believes it may be more appropriate to re-word the response to allow for this possibility. Please see the text of question #5 (located on Page 6 of the current EI draft, currently unanswered other than *"no response necessary for this item per Question 4"*) and re-evaluate whether it may be more appropriate to include discussion here.
- c. Please include a signature on the following submitted EI draft from Mr. Bruce Hoskins, or the preparer of the document if Mr. Hoskins is not the same.

Please let me know if I can answer anything else pertaining to this matter at this time.

Best,

[Sebastian Rodriguez](#)

RCRA Facilities Manager/PCB Program Support

USEPA Region 1

5 Post Office Square Suite 100

Mail Code: OSRR07-3

Boston, MA 02109-3912

(617) 918-1288

[rodriguez.sebastian@epa.gov](mailto:rodriguez.sebastian@epa.gov)



Please consider the environment before printing.